



THESE PAINTS are made from the best pigments known to science for durability and preservative qualities. They are ground and mixed in *Pure Linseed Oil* by a process controlled by ourselves and are not affected by changes of temperature or other conditions under which many Paints fail. They will not chalk, crack, peel or blister, and are especially adapted to withstand the action of salt air and other trying exposures. Made by the CHILTON MANUFACTURING CO., 147 FULTON STREET, NEW YORK, and 141 MILK STREET, BOSTON.

FOR SALE BY

E. C. Allen

Hayward & Co.

Cambridge

123 Dey Street




THIS FAC-SIMILE of our label will be found on every package of Chilton Paints, Mixed Ready for Use. We do not wish the Trade or consumer to infer that our "Corporation" and Roof, Car and Bridge Paints are in any way inferior to the Chilton Paints because they do not bear this label. In point of durability they are fully equal to the Chilton brand, and for all uses where the finest results are not looked for will answer every purpose. All goods manufactured by us bear our name, which is a guarantee in itself.

Respectfully,

*Chilton Manufacturing Co.
New York*

STANDARD SHADES.


Inside, Outside and Flat White, also Blacks, Blues, Reds, Orange and Lemon Chrome Yellows, and all Shades of Greens.



Put up in 1 lb. Cans for Family Use and in $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$ and 1 Gallon Cans, also in 5, 10, 15 and 20 Gallon Kegs and in Barrels.

ANY DESIRED SHADE MADE TO ORDER.

To the Consumer.



IT is a well known fact that the manufacturing of Paints mixed ready for use has been and is sadly overdone, bringing about an unhealthy competition which many manufacturers have met by lowering the grade of their product to a point where it has become practically worthless as a medium for preservation or adornment.


We do not propose to make any statements as to the quality of our goods except to call your special attention to our guarantee and to the simple facts on the title page of this circular.

We are willing to let the CHILTON PAINTS, or products of any kind, take their proper place in the estimation of the Trade or consumer, solely on their merits.

We shall be pleased at any time to enter into correspondence with any one contemplating painting, and will gladly answer any questions or make suggestions as to combinations of colors, etc.

MODERN SHADES.

Inside, Outside and Flat White, also Blacks, Blues, Reds, Orange & Lemon Chrome Yellows and all Shades of Greens.



Put up in 1 lb. Cans for Family Use, and in $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$ and 1 Gall. Cans, also in 5, 10, 15 and 20 Gall. Kegs and in Barrels.

ANY DESIRED SHADE MADE TO ORDER.


OUR GUARANTEE.

These Paints are made of pure Linseed Oil, combined with the best pigments known to Science, and we guarantee they will not chalk, crack, peel or blister when applied according to the directions given on each can and package.

ROOF, CAR, BRIDGE AND GAS HOLDER PAINTS.

THESE PAINTS are mixed ready for use, and are specially prepared with a superior body for all kinds of **ROUGH WOOD WORK**, BRICK WALLS, BRIDGES, FREIGHT CARS, RAILROAD BUILDINGS, TIN or IRON ROOFS, SHIPS, and all Wood or Metallic Surfaces exposed to fresh or salt water.

One gallon will cover 450 square feet, one coat.



CORPORATION PAINTS.

MIXED READY FOR USE.

WE have manufactured this line of Paints to fill a demand made by Corporations, and owners of tenement property, for a grade of goods lower in price than the Chilton, but equal in durability, covering properties, etc. Consumers will find that the "Corporation" Paints are admirably adapted for use on mill property, tenements, sheds, fences, etc., or where economy and durability are the first consideration.



DIRECTIONS FOR USING.

Stir the Paint well before using.

Do not pour the *paint* from bung-hole in wooden package. Break in the head, and stir well from bottom up. Never paint over a *wet* or *even damp* surface. Knots and sappy places must be covered with Shellac-Varnish. Putty all nail-holes and imperfections. Allow the first coat of Paint to thoroughly dry before applying the second coat.

Outside Work.—For priming on a new or old porous surface add one quart of pure Linseed Oil to each gallon. Apply second coat as the paint is put up, brushing it out smooth and even.

For Inside Work.—Add one pint of Turpentine to each gallon.

A Beautiful Finish.—By observing the above instructions we guarantee every consumer the most indestructible and durable surface ever made.

APPLICATION.

Don't paint too early in the Spring or late in the Fall, as it is next to impossible to get a dry outside surface after it has been thoroughly chilled, and moisture is at the bottom of most of the cracking and peeling.

Chilton Paints, Modern and Standard Shades, are put up in following quantities:

Bbls. and Kegs. 30 and 40 Gals.	10, 15 and 20 Gal. Kegs.	2, 3 and 5 Gal. Pails.	1 Gallon Cans.	½ Gallon Cans	Quart Cans	Pint Cans
--	--------------------------------	------------------------------	-------------------	------------------	------------	-----------

Corporation and Roof, Car, Bridge and Gas Holder Paints are not put up in smaller quantities than one gallon.

To ascertain the Amount of Paint you Require.

Add the number of feet in width (front and rear) to the number of feet in length, (both sides); this multiplied by the average height gives the number of square feet to be painted. This, divided by 225—as one gallon of this paint covers 225 square feet (two coats), gives the amount required IN GALLONS.

[EXAMPLE.]	Front,	25 feet,	150 feet.
	Rear,	25 “	[Multiply] height, 30 “
	Side,	50 “	_____
	Side,	50 “	225)4500
		150 feet,	20 gallons for two coats.

REMARKS.—There can be no definite rule established as to the EXACT quantity you will require; but the above is sufficiently near for all practical purposes. Should the surface be smooth and hard, LESS than the above would suffice; if rough and porous, MORE.

100- 78217

082

THE CHILTON MANUFACTURING CO.

ARE PRODUCERS OF

CHILTON PAINTS, Mixed Ready for Use.

BROADWAY COLORED LEAD OR PASTE FORM PAINT.

CORPORATION PAINTS, Mixed Ready for Use.

ROOF, CAR, BRIDGE AND GAS HOLDER PAINTS, Mixed Ready
for Use.

DOMESTIC PAINTS, Mixed Ready for Use.

DIPPING PAINTS, for Manufacturers.

CHILTON WHITE LEAD, Strictly Pure.

EAST RIVER " "

RUTLAND " "

EXTRA " "

CHILTON PURE COLORS IN OIL.

EAST RIVER " "

CHILTON DRY COLORS.

EAST RIVER " "

PURE WHITING PUTTY.

CHILTON ROOF CEMENT.

CHILTON IMPROVED WOOD FILLER.

We also carry in Stock at all times:

**Varnishes, Dryers, Bronzes, Gold Leaf, Pumice Stone, Plaster, Putty Knives,
Glaziers' Points, Diamonds, Emery, Glue, Brushes, Etc.,**

AND ALL GOODS PROPERLY BELONGING TO THE TRADE.

CHILTON MANUFACTURING Co.,

147 FULTON STREET,
NEW YORK.



141 MILK STREET,
BOSTON.